



TEXAS ASSOCIATION OF REALTORS®
SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2014

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE PROPERTY AT 5525 Hwy 84 W Evant Texas 76525

THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE DATE SIGNED BY SELLER AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHER AGENT.

Seller is is not occupying the Property. If unoccupied (by Seller), how long since Seller has occupied the Property? _____ or never occupied the Property

Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).)

This notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.

Item	Y	N	U
Cable TV Wiring	Y		
Carbon Monoxide Det.	Y		
Ceiling Fans	Y		
Cooktop	Y		
Dishwasher	Y		
Disposal		N	
Emergency Escape Ladder(s)		N	
Exhaust Fans		N	
Fences	Y		
Fire Detection Equip.		N	
French Drain		N	
Gas Fixtures	Y		
Natural Gas Lines		N	

Item	Y	N	U
Liquid Propane Gas:	Y		
-LP Community (Captive)		N	
-LP on Property		N	
Hot Tub		N	
Intercom System		N	
Microwave		N	
Outdoor Grill	Y		
Patio/Decking		N	
Plumbing System			
Pool		N	
Pool Equipment		N	
Pool Maint. Accessories		N	
Pool Heater		N	

Item	Y	N	U
Pump: <input type="checkbox"/> sump <input type="checkbox"/> grinder			
Rain Gutters		N	
Range/Stove	Y		
Roof/Attic Vents	Y		
Sauna		N	
Smoke Detector	Y		
Smoke Detector – Hearing Impaired		N	
Spa		N	
Trash Compactor		N	
TV Antenna	Y		
Washer/Dryer Hookup	Y		
Window Screens	Y		
Public Sewer System		N	

Item	Y	N	U	Additional Information
Central A/C		N		<input checked="" type="checkbox"/> electric <input type="checkbox"/> gas number of units: _____
Evaporative Coolers		N		number of units: _____
Wall/Window AC Units	Y			number of units: <u>2</u>
Attic Fan(s)		N		if yes, describe: _____
Central Heat		N		<input type="checkbox"/> electric <input type="checkbox"/> gas number of units: _____
Other Heat	Y			if yes describe: <u>Gas</u>
Oven	Y			number of ovens: <u>1</u> <input checked="" type="checkbox"/> electric <input type="checkbox"/> gas <input type="checkbox"/> other: _____
Fireplace & Chimney	Y			<input checked="" type="checkbox"/> wood <input type="checkbox"/> gas logs <input type="checkbox"/> mock <input type="checkbox"/> other: _____
Carport		N		<input type="checkbox"/> attached <input type="checkbox"/> not attached
Garage		N		<input type="checkbox"/> attached <input type="checkbox"/> not attached
Garage Door Openers		N		number of units: _____ number of remotes: _____
Satellite Dish & Controls		N		<input type="checkbox"/> owned <input type="checkbox"/> leased from _____
Security System		N		<input type="checkbox"/> owned <input type="checkbox"/> leased from _____
Water Heater	Y			<input checked="" type="checkbox"/> electric <input checked="" type="checkbox"/> gas <input type="checkbox"/> other: _____ number of units: <u>1 each</u>
Water Softener	Y			<input checked="" type="checkbox"/> owned <input type="checkbox"/> leased from _____
Underground Lawn Sprinkler		N		<input type="checkbox"/> automatic <input type="checkbox"/> manual areas covered: _____
Septic / On-Site Sewer Facility	Y			if yes, attach Information About On-Site Sewer Facility (TAR-1407)

Water supply provided by: city well MUD co-op unknown other: _____

Was the Property built before 1978? yes no unknown

(If yes, complete, sign, and attach TAR-1906 concerning lead-based paint hazards).

Roof Type: metal Age: 12 Yrs (approximate)

Is there an overlay roof covering on the Property (shingles or roof covering placed over existing shingles or roof covering)? yes no unknown

Are you (Seller) aware of any of the items listed in this Section 1 that are not in working condition, that have defects, or are need of repair? yes no If yes, describe (attach additional sheets if necessary): _____

Section 2. Are you (Seller) aware of any defects or malfunctions in any of the following?: (Mark Yes (Y) if you are aware and No (N) if you are not aware.)

Item	Y	N
Basement		N
Ceilings		N
Doors		N
Driveways		N
Electrical Systems		N
Exterior Walls		N

Item	Y	N
Floors		N
Foundation / Slab(s)		N
Interior Walls		N
Lighting Fixtures		N
Plumbing Systems		N
Roof		N

Item	Y	N
Sidewalks		N
Walls / Fences		N
Windows		N
Other Structural Components		

If the answer to any of the items in Section 2 is yes, explain (attach additional sheets if necessary): _____

Section 3. Are you (Seller) aware of any of the following conditions: (Mark Yes (Y) if you are aware and No (N) if you are not aware.)

Condition	Y	N
Aluminum Wiring		N
Asbestos Components		N
Diseased Trees: <input type="checkbox"/> oak wilt <input type="checkbox"/>		N
Endangered Species/Habitat on Property		N
Fault Lines		N
Hazardous or Toxic Waste		N
Improper Drainage		N
Intermittent or Weather Springs		N
Landfill		N
Lead-Based Paint or Lead-Based Pt. Hazards		N
Encroachments onto the Property		N
Improvements encroaching on others' property		N
Located in 100-year Floodplain		N
Located in Floodway		N
Present Flood Ins. Coverage (If yes, attach TAR-1414)		N
Previous Flooding into the Structures		N
Previous Flooding onto the Property		N
Located in Historic District		N
Historic Property Designation		N
Previous Use of Premises for Manufacture of Methamphetamine		N

Condition	Y	N
Previous Foundation Repairs		N
Previous Roof Repairs		N
Other Structural Repairs		N
Radon Gas		N
Settling		N
Soil Movement		N
Subsurface Structure or Pits		N
Underground Storage Tanks		N
Unplatted Easements		N
Unrecorded Easements		N
Urea-formaldehyde Insulation		N
Water Penetration		N
Wetlands on Property		N
Wood Rot		N
Active infestation of termites or other wood destroying insects (WDI)		N
Previous treatment for termites or WDI		N
Previous termite or WDI damage repaired		N
Previous Fires		N
Termite or WDI damage needing repair		N
Single Blockable Main Drain in Pool/Hot Tub/Spa*		N

If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary):

*A single blockable main drain may cause a suction entrapment hazard for an individual.

Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice? [] yes [x] no If yes, explain (attach additional sheets if necessary):

Section 5. Are you (Seller) aware of any of the following (Mark Yes (Y) if you are aware. Mark No (N) if you are not aware.)

- Y N
[] [x] Room additions, structural modifications, or other alterations or repairs made without necessary permits or not in compliance with building codes in effect at the time.
[] [x] Homeowners' associations or maintenance fees or assessments. If yes, complete the following:
Name of association:
Manager's name: Phone:
Fees or assessments are: \$ per and are: [] mandatory [] voluntary
Any unpaid fees or assessment for the Property? [] yes (\$) [] no
If the Property is in more than one association, provide information about the other associations below or attach information to this notice.
[] [x] Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following:
Any optional user fees for common facilities charged? [] yes [] no If yes, describe:
[] [x] Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.
[] [x] Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)
[] [x] Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.
[] [x] Any condition on the Property which materially affects the health or safety of an individual.
[] [x] Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold.
If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).
[] [x] Any rainwater harvesting system located on the property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source.
[] [x] The Property is located in a propane gas system service area owned by a propane distribution system retailer.

If the answer to any of the items in Section 5 is yes, explain (attach additional sheets if necessary):

Section 6. Seller has has not attached a survey of the Property.

Section 7. Within the last 4 years, have you (Seller) received any written inspection reports from persons who regularly provide inspections and who are either licensed as inspectors or otherwise permitted by law to perform inspections? yes no If yes, attach copies and complete the following:

Inspection Date	Type	Name of Inspector	No. of Pages

Note: A buyer should not rely on the above-cited reports as a reflection of the current condition of the Property. A buyer should obtain inspections from inspectors chosen by the buyer.

Section 8. Check any tax exemption(s) which you (Seller) currently claim for the Property:

- Homestead
- Senior Citizen
- Disabled
- Wildlife Management
- Agricultural
- Disabled Veteran
- Other: _____
- Unknown

Section 9. Have you (Seller) ever filed a claim for damage to the Property with any insurance provider? yes no

Section 10. Have you (Seller) ever received proceeds for a claim for damage to the Property (for example, an insurance claim or a settlement or award in a legal proceeding) and not used the proceeds to make the repairs for which the claim was made? yes no If yes, explain: _____

Section 11. Does the property have working smoke detectors installed in accordance with the smoke detector requirements of Chapter 766 of the Health and Safety Code?* unknown no yes. If no or unknown, explain. (Attach additional sheets if necessary): _____

**Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.*

A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.

Seller acknowledges that the statements in this notice are true to the best of Seller's belief and that no person, including the broker(s), has instructed or influenced Seller to provide inaccurate information or to omit any material information.


Signature of Seller _____ Date _____

Signature of Seller _____ Date _____

Printed Name: Donna Bonnet, Cindy Standard

Printed Name: Ronda Kay Monson

ADDITIONAL NOTICES TO BUYER:

(1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit www.txdps.state.tx.us. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.

(2) If the property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.

(3) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.

(4) The following providers currently provide service to the property:

- Electric: _____ phone #: _____
- Sewer: _____ phone #: _____
- Water: _____ phone #: _____
- Cable: _____ phone #: _____
- Trash: _____ phone #: _____
- Natural Gas: _____ phone #: _____
- Phone Company: _____ phone #: _____
- Propane: _____ phone #: _____

(5) This Seller's Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. **YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.**

The undersigned Buyer acknowledges receipt of the foregoing notice.

Signature of Buyer _____ Date _____
Printed Name: _____

Signature of Buyer _____ Date _____
Printed Name: _____



TEXAS ASSOCIATION OF REALTORS®

INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS® IS NOT AUTHORIZED. ©Texas Association of REALTORS®, Inc., 2004

CONCERNING THE PROPERTY AT 5525 Hwy 84 W Evant Texas 76525

A. DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY:

- (1) Type of Treatment System: [X] Septic Tank [] Aerobic Treatment [] Unknown
(2) Type of Distribution System: Lateral line [] Unknown
(3) Approximate Location of Drain Field or Distribution System: 20yds west of house was done with the add on 10yds south of house is for the older bathroom [] Unknown
(4) Installer: Straley [] Unknown
(5) Approximate Age: 7yrs for the one south of house [] Unknown

B. MAINTENANCE INFORMATION:

- (1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility? [] Yes [X] No If yes, name of maintenance contractor: Phone: contract expiration date: (Maintenance contracts must be in effect to operate aerobic treatment and certain non-standard on-site sewer facilities.)
(2) Approximate date any tanks were last pumped?
(3) Is Seller aware of any defect or malfunction in the on-site sewer facility? [] Yes [X] No If yes, explain:
(4) Does Seller have manufacturer or warranty information available for review? [] Yes [X] No

C. PLANNING MATERIALS, PERMITS, AND CONTRACTS:


- (1) The following items concerning the on-site sewer facility are attached: [] planning materials [] permit for original installation [] final inspection when OSSF was installed [] maintenance contract [] manufacturer information [] warranty information
(2) 'Planning materials' are the supporting materials that describe the on-site sewer facility that are submitted to the permitting authority in order to obtain a permit to install the on-site sewer facility.
(3) It may be necessary for a buyer to have the permit to operate an on-site sewer facility transferred to the buyer.

(TAR 1407) 1-7-04 Initialed for Identification by Buyer: and Seller [Signature]

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

<u>Facility</u>	<u>Usage (gal/day) without water-saving devices</u>	<u>Usage (gal/day) with water-saving devices</u>
Single family dwelling (1-2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.



 Signature of Seller Date
 Donna Bonnet, Cindy Standard

 Signature of Seller Date
 Ronda Kay Monson

Receipt acknowledged by:

 Signature of Buyer Date

 Signature of Buyer Date



ADDENDUM FOR SELLER'S DISCLOSURE OF INFORMATION ON LEAD-BASED PAINT AND LEAD-BASED PAINT HAZARDS AS REQUIRED BY FEDERAL LAW

CONCERNING THE PROPERTY AT 5525 Hwy 84 W Evant (Street Address and City)

A. LEAD WARNING STATEMENT: "Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-paint hazards is recommended prior to purchase."

NOTICE: Inspector must be properly certified as required by federal law.

B. SELLER'S DISCLOSURE:

- 1. PRESENCE OF LEAD-BASED PAINT AND/OR LEAD-BASED PAINT HAZARDS (check one box only):
(a) Known lead-based paint and/or lead-based paint hazards are present in the Property (explain):
(b) Seller has no actual knowledge of lead-based paint and/or lead-based paint hazards in the Property.
2. RECORDS AND REPORTS AVAILABLE TO SELLER (check one box only):
(a) Seller has provided the purchaser with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the Property (list documents):
(b) Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the Property.

C. BUYER'S RIGHTS (check one box only):

- 1. Buyer waives the opportunity to conduct a risk assessment or inspection of the Property for the presence of lead-based paint or lead-based paint hazards.
2. Within ten days after the effective date of this contract, Buyer may have the Property inspected by inspectors selected by Buyer. If lead-based paint or lead-based paint hazards are present, Buyer may terminate this contract by giving Seller written notice within 14 days after the effective date of this contract, and the earnest money will be refunded to Buyer.

D. BUYER'S ACKNOWLEDGMENT (check applicable boxes):

- 1. Buyer has received copies of all information listed above.
2. Buyer has received the pamphlet Protect Your Family from Lead in Your Home.

E. BROKERS' ACKNOWLEDGMENT: Brokers have informed Seller of Seller's obligations under 42 U.S.C. 4852d to: (a) provide Buyer with the federally approved pamphlet on lead poisoning prevention; (b) complete this addendum; (c) disclose any known lead-based paint and/or lead-based paint hazards in the Property; (d) deliver all records and reports to Buyer pertaining to lead-based paint and/or lead-based paint hazards in the Property; (e) provide Buyer a period of up to 10 days to have the Property inspected; and (f) retain a completed copy of this addendum for at least 3 years following the sale. Brokers are aware of their responsibility to ensure compliance.

F. CERTIFICATION OF ACCURACY: The following persons have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

Buyer Date Seller Donna Bonnet, Cindy Standard Date
Buyer Date Seller Ronda Kay Monson Date
Other Broker Date Listing Broker Calvin Burks Date

The form of this addendum has been approved by the Texas Real Estate Commission for use only with similarly approved or promulgated forms of contracts. Such approval relates to this contract form only. TREC forms are intended for use only by trained real estate licensees. No representation is made as to the legal validity or adequacy of any provision in any specific transactions. It is not suitable for complex transactions. Texas Real Estate Commission, P.O. Box 12188, Austin, TX 78711-2188, 512-936-3000 (http://www.trec.texas.gov)